

GT TURBO

CAMP
Safety
™ ®



2780 GT TURBO

The GT Turbo combines the comfort and support of our innovative GT Sit + Chest harnesses with the most streamlined integration of our popular Turbo Chest ascender.

The ergonomics of the harness follow the findings of our "SOSPESI" research program which gave us new insights on suspension trauma.

Combined with the proprietary Turbo Chest ascender that features patented rollers to improve upward efficiency and reduce wear-and-tear, the GT Turbo is the most technically advanced rope access harness ever conceived.

Turbochest ascender is easily detachable and replaceable.

Patented STS automatic buckles on the leg loops.

5 aluminum alloy attachment points: 1 ventral for suspension, 2 side for positioning and restraint, 1 sternal and 1 dorsal for fall arrest.

Webbing loop for restraint on the back.

2 sizes.


ROPE ACCESS

TEAM RESCUE



Ref.	Product name Nombre del producto	Size Tallas	Weight Peso		Waist Cintura	Legs Perneras	Height Altura	CE				EAC	Attachment points Puntos de anclaje
			g	oz	B (cm)	C (cm)	D (cm)	EN 358	EN 361	EN 813	EN 12841/B		
2780	GT TURBO	S-L	2040	72.0	80-120	50-65	55-75	
		L-XXL	2150	75.9	90-140	60-75	65-85	

GT TURBO



- ① Combined with the proprietary Turbo Chest ascender that features patented rollers to improve upward efficiency and reduce wear-and-tear.
- ② Turbochest ascender is easily detachable and replaceable.
- ③ Patented STS automatic buckles on the leg loops.
 - 5 new forged aluminium alloy ring attachment points:
 - ④ 1 ventral for suspension;
 - ⑤ 2 side for positioning and restraint;
 - ⑥ 1 sternal for fall arrest;
 - ⑦ 1 dorsal for fall arrest.
 - ⑧ 1 back attachment point for work positioning.
- ⑨ New easy-to-adjust buckles made from carbon steel.
- ⑩ Triple-layer belt padding: comfortable 3D mesh inside.
- ⑪ Double density leg-loops padding: stiffer on the back for load support, softer on the groin area for comfort. 3D mesh inside. Large contact area for pressure distribution.
- ⑫ Additional rigid foam on back load areas.
- ⑬ New adjustable back webbing for best comfort.
- ⑭ Polyester belt webbing, 44 mm wide.
- ⑮ Polyester leg-loops webbings, 33 mm wide.
- ⑯ New webbing system for fastening "HUB" ref.0910 gear-carabiner (supplied separately).
- ⑰ Two large side gear loops, 10kg Max.

